

A1 INSTALLATION DRAWING

IF THIS DOCUMENT IS PRINTED IN HARDCOPY, IT IS FOR INFORMATION USE ONLY AND THEREFORE IS NOT SUBJECT TO UPDATING CONTROLS. ALWAYS REFER TO SOLIDWORKS VIEWER FOR LATEST ISSUE



THIS DRAWING IS CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT SHALL NOT BE LOANED OR COPIED OR DISCLOSED TO ANY OTHER PERSON OR USED FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN CONSENT OF AP RACING LTD.



AP Racing
Wheler Road
Coventry
CV3 4LB

Tel: +44 (0) 24 7663 9595
Fax: +44 (0) 24 7663 9559
e-mail: engineering@apracings.co.uk
Web site: <http://www.apracings.com>

© AP Racing Ltd. 2005

DISC PART NUMBERS

CP3581-536 RH AS DRAWN
CP3581-537 LH OPPOSITE

THIS IS A 48 VANE DISC OF MASS 6.35 Kg

SUFFIX TO DISC PART NUMBERS:-


SUFFIX DETAILS
P PLAIN (NO GROOVES)
CGnn CURVED GROOVES AS SHOWN, VALUE nn PER FACE.
eg CG24 MEANS 24 CURVED GROOVES PER FACE.

THIS DISC WAS DESIGNED TO WORK WITH A D55 DEPTH PAD



FOR DISC MOUNTING TECHNIQUES, BEDDING PROCEDURE AND DISC COOLING RECOMMENDATIONS SEE AP RACING BRAKE DISC CATALOGUE.

DISC INSTALLATION

DISC ROTATION



DISC ROTATION



Issue No.	Alterations			Zone	Initials
	Date & No.	Particulars			
91	29/01/03 B3562	CURRENT ISSUE - REDRAWN ON SOLIDWORKS WITH CURVED GROOVES			SAT
104	26/01/2006 B4460	TWIN TURNING CHANGES.			# CDA

SCALE 1:1		SHEET 1 OF 1	
DRAWN	Steve Thomas		
APPROVED			
DERIVED FROM			
TITLE			
VENTILATED DISC MACHINING DRAWING			
DRG NO.	CP3581-536/537		